References:

1. Yeh-Long Chen, Kuo-Chang Fang, Jia-Yuh Sheu, Shu-Lin Hsu, and Cherng-Chyi Tzeng et.al (2001)Synthesis and antibacterial evaluation of certain quinolone derivatives,*J Med Chem*,**44(14)**, 2374-2377.
2. Arjunsingh Rana.K, Sunil.B.lade, Mayur.J.Joshi, Nirav.M.Shah (2013), Synthesis, characterization and antimicrobial activity of Some newlySynthesized 1,3-Thiazolidin-4-one Derivatives, *India Chemical Science Transactions Chem Sci Trans,* **2(1)**,192-196.
3. Vigorita.MG, Ottana R, Monforte F, Maccari R, Trovato A, Monforte MT, Taviano MF (2001) Synthesis and anti-inflammatory, analgesic activity of 3,3′-(1,2-Ethanediyl)-bis[2-aryl-4-thiazolidinone] chiral compounds,*Bioorg Med Chem Lett,* **11**, 2791-2794.
4. **Geronikaki A.A.,** Lagunin **A.A,** Hadjipavlou-Litina D.I., Eleftheriou P.T., Filimonov D.A., Saxena A.K.(2008), Computer-aided discovery of anti-inflammatory thiazolidinoneswith dual cyclooxygenase/lipoxygenase inhibition, J. *Med. Chem.***51**, 1601-1609.
5. Michael JP (2004), Quinoline, quinazoline and acridone alkaloids,*Nat Prod. Rep*,650-68.
6. Yeh-Long Chen, Kuo-Chang Fang,Jia-Yuh Sheu,Shu-Lin Hsu,and Cherng-Chyi Tzeng (2001), Synthesis and Antibacterial Evaluation of Certain Quinolone Derivatives, *J. Med. Chem.***44**, 2374-2377.
7. Vladimir V. Kouznetsov, Leonor Y. Vargas Mendez and Carlos M. Melendez Gomez (2005), Recent Progress in the Synthesis of Quinolines, *Current Organic Chemistry*, 2005, **9**, 141-161.
8. Yogesh Murti, Sujeet K. Gupta & Devender Pathak (2010), Synthesis, characterization and antimalarial screening of some new N-[(2-chloroquinolin-3-yl)methylene]benzenamines, Scholars Research Library, *Der Pharma Chemica*, **2(4)**, 271-277.
9. L. Gupta, C. Karthikeyan, P. Trivedi (2010) Synthesis and Characterization of Some Quinolinyl Chalcones as Anti-HIV agents, *International Journal of Pharmaceutical and Applied Sciences*, 1(1).
10. Bhupendra Mistry & Smita Jauhari (2010), Synthesis and characterization of some quinoline based azetidinones and thiazolidinones as antimicrobial agents, *Scholars Research Library*

Archives of Applied Science Research **2(6)** , 332-343.

11. S.S.Mokle, S.V.Khansole, R.B.Patil, Y.B. Vibhute (2010) Synthesisandantibacterialactivity ofsome newchalcones and flavones having 2-chloro-8-methoxyquinolunyl moiety *International Journal of Pharma and Bio Sciences* **1(1)**.
12. V. Nadaraj &S. Thamarai Selvi, (2011) The effective reaction of 2-chloro-3-formylquinoline and acetic acid/sodiumacetate under microwave irradiation, International Journal of Engineering, Science and Technology, **3(4)**, 297-302.
13. Kirandeep Kaur, Meenakshi Jain, Ravi P. Reddy, Rahul Jain (2010),Quinolines andstructurally related heterocycles as antimalarials, European Journal of Medicinal Chemistry **45**,3245-3264.
14. Nuno Vale, Rui Moreira, Paula Gomes (2009) Primaquine revisited six decades after its discovery , European Journal of Medicinal Chemistry, **44** , 937–953.
15. Y.Venkateswarlu, S.Ramesh Kumar, P. Leelavathi (2012) A simple and efficient protocolfor the synthesis of quinolines catalyzed by chloramine-T, *Org. Commun* ,**5(3)**, 120-127.
16. Ahmad Poursattar Marjani, Jabbar Khalafy,Ali Reza, Molla Ebrahimlod, Rolf. H. Prager(2011) Synthesis of Some Pyrimido[4,5-b]quinoline Derivatives, *Bull. Korean Chem. Soc*, **32**
    (7), 2183.
17. Abonia R, Insuasty D, Castillo J, Insuasty B, Quiroga J, Nogueras M, Cobo J (2012) Synthesisof novel quinoline-2-one based chalcones of potential antitumor activity, *Eur J Med Chem* **57**,29-40.
18. Alok Singh Thakur, A. K. Jha, Parmanand Verma, Ravitas Deshmukh, Dhansay Devangan, Anish Chandy, (2010)Synthesis and evaluation of some new quinoline and pyriodo[2,3-b]
    indole derivatives,*Pharmacie Globale (IJCP)* 3(13).
19. B.H.M. Jayakumarswamy, Fazlur Rahaman, V.K. Revankar, K.Vasantakumar Pai (2011)Synthesis, characterization, anti-microbial and anti-inflammatory activity, studies of novel
    schiff base 3,3'-{1,2-PhenyleneBis[Nitrilo(E) Methylydine]} Diquinolin-2-ol andits Metal(II)

Complexes, *International Journal of PharmTechResearch (IJPRIF)***3(3)** 1864-1873.

20. Uday C. Mashelkar, Mukesh S. Jha, Beena U. mashelkar (2012) Synthesis of 2-Azetidinones substituted quinoline derivative , *J. Serb. Chem. Soc,***77 (0**), 1–10 .
21. N. Kannappan,B. S. R. Reddy, S. Sen, R. Nagarajan, S. Dashpute (2009) Synthesis andChemical Characterization of QuinolineImine Derivatives, *Journal of Applied Chemical*
    Research, **9**, 59-68.
22. Ausra Voskiene, Vytautas Mickevicius and Gema Mikulskiene (2007) Synthesis and structural
    characterization of products condensation 4-carboxy-1-(4-styrylcarbonylphenyl)-2-pyrrolidin
    ones with Hydrazines, *ARKIVOC* **(xv),** 303-314.
23. N. J. P. Subhashini, Jampaiah Amanaganti, Lingaiah Boddu,Acharya Nagarjuna P (2013), Microwave assisted synthesis and antibacterial studies of (E)-3-(2-morpholinoquinolin-3-yl)-1-aryl prop-2-en-1-ones, *Journal of Chemical and Pharmaceutical Research,***5(1)**,140-147.
24. Suresh Kumar, Sandhya Bawa, Sushma Drabu (2009) N-[(2-Chloro-6-methylquinolin-3-yl)methyl]aniline, *Molbank* , M618.
25. Bakr F. Abdel-Wahab, Rizk E. Khidre, Abdelbasset A. Farahat,Abdel-Aziz Sayed El-Ahl (2012) 2-Chloroquinoline-3-carbaldehydes: synthesis, reactions and applications, *ARKIVOC*
    (I) 211-276.
26. Pulin Nath and Sreedhar D. Dhumwad (2012) Synthesis, Characterization and Antimicrobial studies of Co(II), Ni(II), Cu(II) and Zn(II) complexes derived from a Schiff base of 2-[(4Methyl-2-oxo-2Hchromen-7-yl)oxy]acetohydrazide with 3-formyl-2-hydroxy quinoline and 3-formyl-2-mercapto quinolone, *Journal of Chemical and Pharmaceutical Research*, **4(1)**, 851
    -865.
27. P. Muthumani, S.Venkataraman, R. Meera, Govind Nayak,N. Chidambaranathan, P.devi, B. Kameswari (2010) Synthesis and biological screening of some novel Quinolinederivatives, *Scholars Research Library Der Pharma Chemica,***2(1)**,385-396.

28. Suresh Kumar, Sandhya Bawa, Sushma Drabu, Rajiv Kumarand Lalit Machawal (2010)Synthesisandinvivoanticonvulsantevaluation of 2-chloroquinolynylhydrazone derivatives,*Acta Poloniae Pharmaceutica Drug Research*,**67(5)** , 567-573.
29. Bakr F. Abdel-Wahab, Rizk E. Khidre, Abdelbasset A. Farahat,and Abdel-Aziz Sayed El-Ahl (2012) 2-Chloroquinoline-3-carbaldehydes: synthesis, reactions and applications *ARKIVOC*, I**,** 211-276.
30. B. Chandrakantha, Arun M Isloor, Peethambar S. K,Prakash Shetty (2012) T3P mediatedSynthesis of some new quinoline substituted pyrazole derivatives and its antibacterialstudies, *Scholars Research Library Der Pharma Chemica*,**4(4)**,1723-1729.
31. R. Vlahov, St. Parushev, J. Vlahov (1990) Synthesis of some new quinoline derivativespotential antimalarial drugs , *Pure & Appl. Cbem*, **62(7)**,1303-1306.
32. Rosa Ferer , Gricela Lobo, Neira Gamboa , Juan Rodrigues , ClaudiaAbramjuk, Klaus Jung , Michael Lein, Jaime E. Charris (2009) Synthesis of[(7-Chloroquinolin-4-yl)amino]chalcones:Potential Antimalarial and Anticancer Agents, *SciPharm*,**77**, 725–741.
33. Jyotirling R. Mali, Manisha R. Bhosle, Shital R. Mahalle,Ramrao A. Mane (2010) One-Pot
multicomponent Synthetic Route for New Quinolidinyl 2,4-Thiazolidinediones, *Bull. Korean Chem.Soc*, **31(7)** 1859.
34. Xinying Zhang , Xuesen Fan ,Jianji Wang, Yanzhen Li (2004) A Novel Preparation of 4 -Phenylquinoline Derivatives in Ionic Liquids, *Journal of the Chinese Chemical Society*,**51**,1339-1342.